

This report is a snapshot of drinking water quality that we provided last year. Included are details about where your water comes from, what is found in the water and what we do to ensure high quality water for the College community and in compliance with state and federal standards.

I. PUBLIC WATER SYSTEM INFORMATION

Address: *106 Central Street, Wellesley, MA* Contact Person: *John P Brown* Telephone #: *781-283-2747*

Water System Improvements

Our water system is routinely inspected by the Massachusetts Department of Environmental Protection (MassDEP). MassDEP inspects our system for its technical, financial, and managerial capacity to provide safe drinking water to you. To ensure that we provide the highest quality of water available, your water system is operated by a Massachusetts certified operator who oversees the routine operations of our system. Last year we completed a program upgrade on the well vault equipment.

Water Flavor Quality Testing Report

In 2015 we conducted an extensive water flavor survey campus-wide. We employed GEI Consultants, Inc. of Woburn, MA (engineers and scientists) who surveyed a representative sampling of the campus population. These blind taste tests were conducted at several open booth tasting events as well as off-campus. During both blind tests the Wellesley tap and filtered tap water was compared for taste and aftertaste to a variety of commonly purchased bottled water. The results concluded that tasters did not discern any meaningful differences between bottled water and Wellesley's drinking water. Because of this result, the department of Facilities Management and Wellesley Sustainability will continue to add more bottle-filling stations campus-wide and encourage the community to purchase less bottled water.

Opportunities for Public Participation

If you would like to participate in discussions regarding your water quality, please contact John P Brown (jbrown2@wellesley.edu) Mike Lane (mlane4@wellesley.edu) in Facilities Management.

2. YOUR DRINKING WATER SOURCE

Where Does My Drinking Water Come From?

Your water is provided by the following sources listed below:

| Source Name | MassDEP Source ID# | Source Type | Location of Source |
|----------------|--------------------|-------------|-------------------------|
| Botany Well #1 | 3317001-01G | Groundwater | East of Paramecium Pond |
| Botany Well #2 | 3317001-02G | Groundwater | East of Paramecium Pond |

Is My Water Treated?

The quality of the water from the aquifer requires only a slight pH adjustment with potassium hydroxide, which is also used for corrosion control. The disinfectant against microbial contaminants is managed with sodium hypochlorite. Wellesley College does not fluoridate the water. In 2017, 99.5% of the potable water supply was obtained from the College's Botany Wells. Total potable water use from the wells for 2017 was 82,212,891 gallons.

The water quality of our system is monitored by MassDEP and the College to evaluate the effectiveness of existing water treatment and to determine if any additional treatment is required.

How Are These Sources Protected?

MassDEP has prepared a Source Water Assessment Program (SWAP) Report for the water supply source(s) serving this water system. The SWAP Report assesses the susceptibility of public water supplies.

What is My System's Ranking?

A susceptibility ranking of high was assigned to this system using the information collected during the assessment by MassDEP in 2003. This was based on the presence of at least one high threat land use (i.e., railroad tracks) within the water supply protection areas.

Note that susceptibility to contamination does not imply poor water quality. Actual water quality is best reflected by the results of regulatory water quality testing.

Where Can I See The SWAP Report?

The complete SWAP report is available online at <u>http://www.mass.gov/eea/docs/dep/water/drinking/swap/nero/3317001.pdf</u> For more information, call John Brown at 781-283-2747.

3. SUBSTANCES FOUND IN TAP WATER

Sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals, and in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

<u>Microbial contaminants</u> -such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.

Inorganic contaminants -such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, and farming.

<u>Pesticides and herbicides</u> -which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.

<u>**Organic chemical contaminants**</u> -including synthetic and volatile organic chemicals, which are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.

<u>Radioactive contaminants</u> -which can be naturally occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the Department of Environmental Protection (MassDEP) and U.S. Environmental Protection Agency (EPA) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. The Food and Drug Administration (FDA) and Massachusetts Department of Public Health (DPH) regulations establish limits for contaminants in bottled water that must provide the same protection for public health. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and some infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control and Prevention (CDC) guidelines on lowering the risk of infection by cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Wellesley College is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

4. IMPORTANT DEFINITIONS

<u>Maximum Contaminant Level (MCL)</u> – The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

<u>Maximum Contaminant Level Goal (MCLG)</u> –The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

<u>Maximum Residual Disinfectant Level (MRDL)</u> -- The highest level of a disinfectant (chlorine, chloramines, chlorine dioxide) allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

<u>Maximum Residual Disinfectant Level Goal (MRDLG)</u> -- The level of a drinking water disinfectant (chlorine, chloramines, chlorine dioxide) below which there is no known of expected risk to health. MRDLG's do not reflect the benefits of the use of disinfectants to control microbial contaminants.

<u>Action Level (AL)</u> – The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

<u>90th Percentile</u> – Out of every 10 samples taken, 9 were at or below this level.

- ppm = parts per million, or milligrams per liter (mg/l)
- ppb = parts per billion, or micrograms per liter (ug/l)
- ppt = parts per trillion, or nanograms per liter (ng/l)
- pCi/l = picocuries per liter (a measure of radioactivity)
- NTU = Nephelometric Turbidity Units
- ND = Not Detected
- N/A = Not Applicable

mrem/year = millirems per year (a measure of radiation absorbed by the body)

<u>Secondary Maximum Contaminant Level (SMCL)</u> – These standards are developed to protect the aesthetic qualities of drinking water and are not health based.

<u>Massachusetts Office of Research and Standards Guideline (ORSG)</u> – This is the concentration of a chemical in drinking water at, or below which, adverse health effects are unlikely to occur after chronic (lifetime) exposure. If exceeded, it serves as an indicator of the potential need for further action.

5. WATER QUALITY TESTING RESULTS

What Does This Data Represent?

The water quality information presented in the following table(s) is from the most recent round of testing completed in accordance with the regulations. All data shown was collected during the last calendar year unless otherwise noted in the table(s).

The MassDEP and EPA require us to test our water for over 80 drinking water contaminants on a regular basis. The water quality table included in this report does not list all of constituents we actually tested for. It lists only those constituents that were present in water at concentrations above the laboratory detection limit. This table also compares the detected constituent concentrations to the EPA standards, or Maximum

Contaminant Level (MCL), the Massachusetts standards, or Massachusetts Maximum Contaminant Level (MMCL), or the MA Secondary Maximum Contaminant Level (SMCL). EPA limits can be found on the Internet at <u>http://www.epa.gov/safewater/standards.html</u>, and Massachusetts limits can be found on the internet at <u>http://mass.gov/dep/water/dwstand.doc</u>.

Wellesley College tested for lead and copper at end user taps in September 2014. The action level for both lead and copper was not exceeded and Wellesley College was in compliance for both lead and copper for 2014. However, due to elevated lead levels in some samples during 2009, Wellesley College has been working on removing and replacing select plumbing systems where elevated lead concentrations were found.

| | Date(s) Collected | 90 [™] percentile | Action Level | MCLG | # of sites sampled | # of sites above Action Level | Possible Source of Contamination |
|-----------------|----------------------|-------------------------------|-----------------|------|--------------------|----------------------------------|---|
| Lead (ppb) | 9/12/2017 | 9.5 | 15 | 0 | 10 | 0 | Corrosion of household plumbing systems; Erosion of natural deposits |
| Copper (ppm) | 9/12/2017 | .285 | 1.3 | 1.3 | 10 | 0 | Corrosion of household plumbing systems; Erosion of natural deposits; Leaching from wood preservatives |

"If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Wellesley College is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <u>http://www.epa.gov/safewater/lead</u>."

| | Highest % Positive in a month | Total # Positive | MCL | MCLG | Violation (Y/N) | Possible Source of Contamination |
|-------------------|----------------------------------|---------------------|------|------|--------------------|--------------------------------------|
| Total Coliform | 0% | 0 | < 5% | 0 | Ν | Naturally present in the environment |
| Fecal Coliform | 0% | 0 | 0% | 0 | Ν | Naturally present in the environment |

| Regulated Contaminant | Date(s) Collected | Highest Result or Highest Running Average Detected | Range Detected | MCL or MRDL | MCLG or MRDLG | Violation (Y/N) | Possible Source(s) of Contamination |
|------------------------|----------------------|--|-------------------|-------------------|------------------|--------------------|--|
| Inorganic Contaminants | | | | | | | |

| Barium (ppm) | 4/05/2016 | 0.1626 | - | 2 | 2 | Ν | Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits | | |
|--|-------------------------------|----------|----------|-----|-----|---|--|--|--|
| Chromium (ppm) | 4/05/2016 | .00135 | - | .10 | .10 | Ν | Discharge from pulp mills; erosion of natural deposits | | |
| Nickel | 4/05/2016 | .00228 | - | .10 | .10 | N | Erosion of natural deposits. Stainless steel piping. | | |
| Nitrate (ppm) | 4/11/2017 | 2.6 | - | 10 | 10 | Ν | Runoff from fertilizer use; leaching from septic tanks; sewage; erosion of natural deposits | | |
| Perchlorate (ppb) | 10/10/17 | .196 | - | 2 | N/A | Ν | Rocket propellants, fireworks, munitions, flares, blasting agents | | |
| Volatile Organic Conta | Volatile Organic Contaminants | | | | | | | | |
| Chloroform (ppb) | 4/11/2017 | 0 | - | | 0 | Ν | Byproduct of drinking water chlorination | | |
| Chlorodibrommethane | 4/11/2017 | 0 | - | | 0 | Ν | Byproduct of drinking water chlorination | | |
| Disinfectants and Disir | fection By- | Products | | | | | | | |
| Total Trihalomethanes (TTHMs) (ppb) | Annually 2017 | 16.0 | 10-22 | 80 | | Ν | Byproduct of drinking water chlorination | | |
| Haloacetic Acids (HAA5) (ppb) | Annually 2017 | 4.85 | 2.5-7.2 | 60 | | Ν | Byproduct of drinking water disinfection | | |
| Chlorine (ppm) (total) | Monthly 2017 | .95 | .08-2.00 | 4 | 4 | Ν | Water additive used to control microbes | | |

Unregulated contaminants are those for which there are no established drinking water standards. The purpose of unregulated contaminant monitoring is to assist regulatory agencies in determining their occurrence in drinking water and whether future regulation is warranted.

| Unregulated and Secondary Contaminants | Date(s) Collected | Result or Range Detected | Average Detected | SMCL | ORSG | Possible Source | |
|--|----------------------|--------------------------------|---------------------|------|------|--|--|
| Inorganic Contaminants | | | | | | | |
| Sodium ¹ (ppm) | 4/05/2016 | 94 | | | 20 | Natural sources; runoff from use as salt on roadways; by-product of treatment process | |
| Secondary Contaminants | | | | | | | |
| Iron (ppb) | 11/10/2015 | ND | | 300 | | Naturally occurring, corrosion of cast iron pipes | |
| Manganese ² (ppb) | 11/10/2015 | ND | | 50* | | Erosion of natural deposits | |
| Alkalinity (ppm) | 11/10/2015 | 70 | | none | | Erosion of natural deposits | |
| Calcium (ppm) | 11/10/2015 | 27 | | none | | Erosion of natural deposits | |
| Chloride (ppm) | 11/10/2015 | 187 | | 250 | | Runoff from road de-icing, use of inorganic fertilizers, landfill leachates, septic tank effluents, animal feeds, industrial effluents, irrigation drainage, and seawater intrusion in coastal | |

| | | | | areas |
|---------------------------------------|------------|------|---------|---|
| Color (C.U.) | 11/10/2015 | ND | 15 | Naturally occurring organic material |
| Copper | 11/10/2015 | .044 | 1.0 | Erosion of natural deposits |
| Hardness (ppm) | 11/10/2015 | 90 | None | Erosion of natural deposits |
| Magnesium (ppm) | 11/10/2015 | 5.2 | none | Erosion of natural deposits |
| Odor (T.O.N.) | 11/10/2015 | ND | 3 TON | Erosion of natural deposits; Leaching from wood preservatives0 |
| рН | 11/10/2015 | 7.1 | 6.5-8.5 | |
| Potassium (ppm) | 11/10/2015 | 37 | None | Erosion of natural deposits |
| Sulfate (ppm) | 11/10/2015 | 18.4 | 250 | Erosion of natural deposits |
| Total Dissolved Solids (TDS) (ppm) | 11/10/2015 | 420 | 500 | Erosion of natural deposits. |
| Turbidity | 11/10/2015 | .35 | None | Soil runoff |

Sodium¹ sensitive individuals, such as those experiencing hypertension, kidney failure, or congestive heart failure, should be aware of the sodium levels where exposures are being carefully controlled. This year's Sodium numbers reflect the finished water after treatment. Years past we have used the raw water numbers pretreatment.

Manganese² is a naturally occurring mineral. At a level greater than 50 ppb, the water will appear brown, taste unpleasant, and may leave black stains on fixtures or on laundry. While manganese is part of a healthy diet, it can be harmful if consumed in large concentrations; infants should not drink water that contains manganese above

this level, especially if they are bottle fed. The U.S. EPA has established a lifetime health advisory (HA) of 300 ppb for manganese, to protect against concerns of potential neurological effects, and a one-day and ten-day HA of 1,000 ppb for acute exposure.

6. COMPLIANCE WITH DRINKING WATER REGULATIONS

Does My Drinking Water Meet Current Health Standards?

We are committed to providing you with the best water quality available. We are proud to report that last year your drinking water met all applicable health standards regulated by the state and federal government.

We are also proud to report that Wellesley College was a recipient of the 2013 Public Water Systems Small Community Award. This award was announced by the MassDEP during National Drinking Water Week in early May of 2013.

With suggestions from the 2014 Sanitary Survey conducted by MassDEP, The College has. (1) Moved a routine coliform bacteria sampling point closer to the water storage tank in order to get a more representative sample from the tank. (2) The college has also submitted a written protocol documenting the current procedure by which the chemical feed pump interlocks in the well vault are tested. (3) and the Staff will participate in additional, annual training hours concerning the college's Emergency Response Plan.